



JAI PRABHUJI

JAI PRABHUJI IRON & STEEL (P) LTD.

MANUFACTURERS OF QUALITY M. S. PENCIL INGOT

Factory : C-21- 24, Kandra Industrial Area, Govindpur, Dhanbad - 828109 (Jharkhand)
Mobile : 9431125242, 9431124208 • Email : jai_prabhuji@rediffmail.com

CIN No. : U27104WB2003PTC096615

June 18, 2018

To,
Regional Officer (ECZ)
Ministry of Environment, Forest and Climate Change,
Regional Office (ECZ), Bungalow No. A-2, Shyamali Colony,
Ranchi – 834002

Subject: Regarding compliance of Environmental Clearance conditions.

Reference: Environmental Clearance from Ministry of Environment & Forest, New Delhi
vide J-11011/180/2010-IA-II (I) dated 13.07.2011.

Sir,

We have obtained Environment Clearance and NOC from the concerned authorities for establishing our project at Kandra Industrial Area, Govindpur, District – Dhanbad, Jharkhand. The plant has been put in operation after obtaining consent to operate from JSPCB.

As per requirements of Environment (Protection) Act 1986 and various conditions of the above mentioned Environmental Clearance we are submitting the six monthly compliance reports with status for the period from 1st October 2017 to 31st March 2018 to the specified authorities. The same is enclosed for your information.

Thanking you,

Yours Faithfully,

For Jai Prabhuji Iron & Steel Pvt. Ltd.

R.K. Choudhary

Director

Enclosure: Compliance Report



Regd. Office : 27, Weston Street, 6th Floor, Room No. - 611, Kolkata - 700 012



Visiontek Consultancy Services Pvt. Ltd.

(An Enviro Engineering Consulting Cell)



ISO 9001 : 2008

ISO 14001 : 2004

OHSAS 18001 : 2007

Ref.: Enwlab/18/R-551

Date: 02/05/18

LEACHABILITY ANALYSIS REPORT

1. Name of the Industry : M/s Jai Prabhuji Iron & Steel Pvt Ltd, Kandra Industrial Area, Kandra 828109, Dhanbad
2. Sampling Location : S1 - Induction Furnace slag storing
3. Date of Sampling : 23.04.2018
4. Date of Sample Receiving : 25.04.2018
5. Date of Analysis : 25.04.2018 to 02.05.2018
6. Sample Collected by : VCSPL Representative in presence of Clients Representative

SL. No.	Name of the Parameters	Unit	Testing Method	Govt. Of India, MoEF CC Schedule-II Based on leachable concentration limits (TCLP) or soluble Threshold Limit Concentration (STLC), Class A, 2016	Analysis Result
					S1
1.	Arsenic as As	mg/l	TCLP With Zero Head Extraction Followed by analysis in Atomic Absorption Spectroscopy	5.0 mg/l	<0.001
2.	Barium as Ba	mg/l		100.0 mg/l	0.01
3.	Cadmium as Cd	mg/l		1.0 mg/l	<0.001
4.	Chromium as Cr	mg/l		5.0 mg/l	<0.05
5.	Lead as Pb	mg/l		5.0 mg/l	<0.01
6.	Mercury as Hg	mg/l		0.2 mg/l	<0.001
8.	Selenium as Se	mg/l		1.0 mg/l	<0.001
9.	Iron as Fe	mg/l		--	<0.05
10.	Nickel as Ni	mg/l		20.0 mg/l	<0.001
11.	Zinc as Zn	mg/l		250.0 mg/l	<0.001
12.	Manganese as Mn	mg/l		10.0 mg/l	<0.005
13.	Cobalt as Co	mg/l		80.0 mg/l	<0.001
14.	Copper as Cu	mg/l		25.0 mg/l	0.006
15.	Vanadium as V	mg/l		24.0 mg/l	<0.001
16.	Flouride as F	mg/l		180.0 mg/l	2.1

For Visiontek Consultancy Services Pvt. Ltd.





Eco Care



NABL ACCREDITED
Certificate No. TC-5109

Annexure - 3

Phone : (0341) 2252011

Fax : (0341) 2252011

Specialised House on Environmental Monitoring, Analysis, Assessment & Management
ISO 9001 : 2015 Certified, OHSAS 18001:2007 Certified

E-mail : ecocareasansol@rediffmail.com

Manoj Talkies Basement, Kumarpur

ASANSOL-713304 (W.B.)

Format No. : EC/TRT/42/FM/05

TEST REPORT

Report Release Date	: 30.04.2018	Sample Ref. No.(ARF)	: EC/ARF/29/180459
Test Report No	: EC/TR/42/04269	Source of Sample	: M.S Ingot Unit
Type of Sample	: Water	Sampling Date	: 24.04.2018
Sample Collected by	: Mr. Binod Singh	Period of Analysis	: 26.04.18 to 29.04.18
Sample Details	: Process Water	Sampling Location	: Ingot Cooling Water
Name & Address	: Jai Prabhuji Iron & Steel (P) Limited Kandra Industrial Area, Kandra Dist - Dhanbad - 828109 Jharkhand	Sample Condition	: Sealed & Preserved
		Sample Stamped as	: "JPISPL - 04"
		Sample Drawn By	: ECO CARE
		Remarks	: ----
		Sampling Plan & Procedure	: EC/SOP/03/01
		Deviation if any	: None

Sl. No.	Parameters	Unit	Test Method (APHA 22 nd Edition)	Standards (EPR 1986 & IS 2296:1982)	Results
1	pH 23.9 °C		4500-H ⁺ B	5.5 - 9.0	6.43
2	Temperature	°C	----	----	23.9
3	TSS	mg/l	2540 D	100.0	40.20
4	TDS	mg/l	2540 C	2100.0	1295.40
5	BOD (3 days) at 27.0 °C	mg/l	IS 3025 (Part - 44): 2009	30.0	2.8
6	COD	mg/l	5220 B	250.0	10.00
7	Oil & Grease	mg/l	5520 B	10.0	< 2.00

1. Test values are reported based on the samples received.
2. Sample(s) will be destroyed after 7 days from date of issues of the Test Report subject to nature of Preservation. Sample will be preserved as per the standard method.
3. The Test report shall not be reproduced, without the written approval of laboratory.


Authorised Signatory

Nupur Chatterjee
B. Sc. M. Sc. (Env. Sc.)
Dy Technical Manager

M/S JAI PRABHU JI IRON & STEEL PVT.LTD. .

AT- C-21-24 KANDRA INDUSTRIAL AREA,
P.O-GOVINDPUR DIST-DHANBAD (JHARKHAND)

INSIDE & OUTSIDE DISASTER PLAN



SHEKHER JAIPURIAR
DIRECTOR
NEXGEN INDUSTRIAL SAFETY TESTING
COMPETENT PERSON

30/04/2018

SHEKHER JAIPURIAR
COMPETENT PERSON



NEXGEN INDUSTRIAL SAFETY TESTING

Competent Organisation

(Approved by the Chief Inspector of Factories Govt. of Jharkhand)

Head Office : Children Convent, Indrapuri - 2, Ratu Road, Ranchi - 834005

Mobile No. : 9431380908, 9669418800, 07748005555

E-mail : jaipuriar58@rediffmail.com

Head Office : Testing of Lifting Tackles / Tools / Cranes & Building Stability (U/S 3A)
Under Factories Act 1948

SHEKHER JAIPURIAR
Competent Person

Ref. No. NIST/JPI/ID/01/2018

Date 30/04/2018

M/S JAI PRABHU JI IRON & STEEL PVT.LTD.

AT-C-21-24 KANDRA INDUSTRIAL AREA

P.O- GOVINDPUR DIST-DHANBAD

(JHARKHAND)

KUMAR UJJWAL
Competent Person

INSIDE & OUTSIDE DISASTER PLAN

2018

SHEKHER JAIPURIAR

DIRECTOR

NEXGEN INDUSTRIAL SAFETY TESTING
COMPETENT PERSON

BY

NEXGEN INDUSTRIAL
SAFETY TESTING



Office : Flat No. 202, Kaveri-1, Trivenipuram, Dumardaga, Booty More, Ranchi - 835217

LETTER NO.7/DP 10 17/2018 अतिरिक्त(मुद्रांकित)- 709

Office of the Chief Inspector of Factories, Jharkhand**Labour Building, Doranda, Ranchi.-834002**

(Tel No.-0651-2480454, Fax No.-0651-2481224 Email ID- cif.jhr@gmail.com)

From,

**Chief Inspector of Factories, Jharkhand,
Ranchi.**

To,

The Occupier,
M/s Jai Prabhu Ji Iron & Steel Pvt. Ltd.,
At- C-21-24 Kandra Industrial Area, P.O.- Govindpur,
District- Dhanbad,
PIN- 833220.

Ranchi, Dated- 28.05.2018

Subject: Recommendation of inside and outside disaster plan of M/s Jai Prabhu Ji Iron & Steel Pvt. Ltd, Govindpur, Dhanbad.**Reference: Inspector of Factories, Dhanbad Circle No- 01, Dhanbad office letter no-58, dated- 18.05.2018.**

Sir,

The inside and outside disaster plan Submitted by you through Inspector of Factories, Dhanbad Circle No- 01, Dhanbad have been examined and the same is recommended subject to the following conditions:-

1. Regular Mock- drill shall be carried out in the factory at least once in every year and a detailed report should be made immediately available to the Chief Inspector of Factories, Jharkhand, Ranchi Office.
 2. A detailed safety audit report conducted by an experienced outside agency shall be submitted along with details of health & safety policy of your factory.
 3. The disaster plan will be up-dated and revised if there is any modification in the plant, process or industrial activity.
 4. Adequate arrangement of medical/ relief facilities (first aid equipments etc.) should be provided and maintained in the emergency control room.
 5. Telephone number of key persons to be noted and displayed in the central control room.
- A copy of the recommended plan is enclosed herewith.

Yours Faithfully

(Arun Kumar Mishra)

Chief Inspector of Factories Jharkhand,
Ranchi.



झारखण्ड सरकार

ग्राम पंचायत भितिया

गोविन्दपुर, धनबाद (झारखण्ड)

सलमा बीबी

(मुखिया)

संरक्षक : गोविन्दपुर पंचायत अधिकार मंच ।

महासचिव : जिला पंचायत अधिकार मंच, धनबाद ।

आवासीय कार्यालय :

काण्डा, गोविन्दपुर, धनबाद

ईमेल - dhanbad1981@hotmail.com

मो 0 : 9934567894 / 9431151247

पत्रांक :

दिनांक : 09/06/18.

Jai Prabhujee Iron and Steel (P) Ltd
Kandra industrial Area Govindpur Dhanbad
Jharkhand - Pin 828109.

Ref No. JPIS/GEN/021/18-19.

Sub-Certificate provided for different types of
Social welfare work done by them.

1. Mega sports Camp work done Rs 80,000/-
2. Tree plantation at our panchayat Rs 20,000/-
3. Poor students books ect provided Rs 60,000/-
1. Marriage poor girls amount of 2.30000/-

Total expenditure for the year 2017/2018 Rs 400000/-
(four lacs only). Thanking you for your best
attention and work done in our panchayat.

Salma Bili

मुखिया

ग्राम पंचायत भितिया

गोविन्दपुर धनबाद

09/06/18

जियलगढा ग्राम पंचायत

प्रखण्ड - गोविन्दपुर, जिला - धनबाद (झारखण्ड)

सुभाष चन्द्र गिरि
मुखिया

मो. : 7004729226
9546950422

पत्रांक : 137

आवासीय कार्यालय :

ग्राम : साबलपुर

पो० : के.जी.आश्रम

थाना : गोविन्दपुर

जिला : धनबाद (झारखण्ड)

पिन कोड : 828109

दिनांक : 07/06/2018

जय प्रभुजी आश्रम एण्ड स्टील फ़ाब्रिकेशन

कान्हा इन्डियन एरीया,

गोविन्दपुर, धनबाद,

प्रमाणित किया जाता है, की निर्देशक जयप्रभुजी

आश्रम एण्ड स्टील, श्री राज कुमार चौधरी द्वारा वर्ष
2017/18 के दौरान हमारे जियलगढा पंचायत में विभिन्न
प्रकार के समाजीक कार्यों जैसे पूजा अनुष्ठान में 60000/-
(छाठ हजार रुपया) मात्र गरीब, अनाथ बच्चों के जीवन सुलभ
एवं स्कूल ड्रेस के मद में 40,000/- (चालीस हजार रुपया) मात्र
गरिब बच्चियों के विवाह में 1,40,000/- (एक लाख चालीस हजार)
रुपया मात्र एवं वृद्धा रोपण के लिए 20,000/- (बीस हजार रुपया)
स्वर्ण किया गया। कुल राशियाँ 2,60,000/- (दो लाख साठ हजार
रुपया) सहयोग राशी स्वर्ण करने एवं निश्चार्ज भाव से सेवा भावना
के लिए मैं एवं मेरे पंचायत के लोग सदा आपका आभारी हैं।

सुभाष गिरि

मुखिया

जियलगढा ग्राम पंचायत

ग्राम पंचायत अमरपुर

प्रखण्ड - गोविन्दपुर, धनबाद

सीमा परवीन
मुखिया

मो0- 9835378647
8271169782

आवास :

ग्राम : गायडेहरा

पो0 + थाना : गोविन्दपुर

जिला : धनबाद (झारखण्ड) - 828109

पत्रांक 367/2018-19.

दिनांक 09/06/2018

श्री राजकुमार चौधरी निदेशक जयप्रभुजी आचरन एंड स्टील प्राइवेट लिमिटेड कोन्क्रा इंडस्ट्रीयल एरिया गोविंदपुर धनबाद इनके द्वारा अमरपुर विप्रमालय के लिए 10 कुसी, 10 बैच एवं रबेलकुद प्रतिगोतीला करई गई इसमें करीब- 51000/2 (अब्बावन हजार रु मात्र) का रकम का वहन इनके द्वारा किया गया।

श्री राजकुमार चौधरी द्वारा अमरपुर मौजा के दो गारिब अनाथ बच्चीयों का विवाह संपन्न कराया गया इसमें रकम हुई राशी जो करीब 80,000/2 (अस्सी हजार रु मात्र) का संपूर्ण वहन चौधरीजी के द्वारा किया गया।

श्री राजकुमार चौधरी जी के द्वारा हमारे अमरपुर पंचायत के विभिन्न ग्रामों में जमी के मोसम में जमापूती एवं साफ-सफाई की व्यवस्था में करीब 70,000/2 (सत्तर हजार रु मात्र) का संपूर्ण वहन चौधरीजी के द्वारा किया गया।

श्री राजकुमार चौधरीजी निदेशक जयप्रभुजी आचरन एंड स्टील व्यवहारकुशल समाज के कामों में बढ़चढ़कर हिस्सा लेने वाले एवं उसमें रकम होने वाली राशी का खुशी खुशी मुगतान करने वाले उद्गमी हैं। हम इनके उज्जवल भविष्य की कामना करते हैं।

मुखिया

ग्राम पंचायत-अमरपुर
प्रखण्ड-गोविन्दपुर (धनबाद)



JAI PRABHUJI

JAI PRABHUJI IRON & STEEL (P) LTD.

MANUFACTURERS OF QUALITY M. S. PENCIL INGOT

Factory : C-21- 24, Kandra Industrial Area, Govindpur, Dhanbad - 828109 (Jharkhand)

Mobile : 9431125242, 9431124208 • Email : jai_prabhuj@rediffmail.com

CIN No. : U27104WB2003PTC096615

Annexure-5

To Whom It May Concern

Regarding CSR, the following amount has been spent as under mentioned heads :-

Education & Sports - Rs. 2,31,000/- (Two Lacs Thirty One Thousand Only)

Social Welfare - Rs. 5,10,000/- (Five Lacs Ten Thousand Only)

Drinking Water &

Cleaning - Rs. 70,000/- (Seventy Thousand Only)

Plantation in Village - Rs. 50,000/- (Fifty Thousand)

Total Amount Rs. 8,61,000/- (Eight Lacs Sixty One Thousand Only)

Above amount- Spent from 2011-31.03.18

For Jai Prabhuj Iron & Steel Pvt. Ltd.

R.K. Choudhary

Director



Eco Care



Certificate No. TC-5109

Phone : (0341) 2252011
Fax : (0341) 2252011

Specialised House on Environmental Monitoring, Analysis, Assessment & Management
ISO 9001 : 2015 Certified, OHSAS 18001:2007 Certified

E-mail : ecocareansol@rediffmail.com
Manoj Talkies Basement, Kumarpur
ASANSOL-713304 (W.B.)

Format No. : EC/TRT/42/FM/07

TEST REPORT

Report Release Date	: 09.06.2018	Sample Ref. No.(ARF)	: EC/ARF/29/180533
Test Report No	: EC/TR/42/05083	Source of Sample	: M.S Ingot Unit
Type of Sample	: Noise	Sampling Date	: 31.05.18 to 01.06.18
Sample Collected by	: Mr. Binod Singh & Team	Period of Analysis	: ---
Sample Details	: Ambient Noise	Sample Condition	: ---
Name & Address	: Jai Prabhuji Iron & Steel (P) Ltd Kandra Industrial Area, Kandra Dist - Dhanbad - 828109 Jharkhand	Remarks	: ---
		Sample Drawn By	: ECO CARE
		Sampling Plan &	
		Procedure	: EC/SOP/03/01
		Deviation if any	: None


METEOROLOGICAL INFORMATION

1	Average Temperature (°C)	32.2
2	Average Relative Humidity (%)	63.0
3	Barometric Pressure (mm of Hg)	752
4	Weather Condition	Clear Day

AMBIENT NOISE QUALITY REPORT

Sampling Location	NOISE LEVEL					
	Minimum		Leq - Mean		Maximum	
	Day Shift	Night Shift	Day Shift	Night Shift	Day Shift	Night Shift
1. Near Main Gate	49.00 dB(A)	44.60 dB(A)	64.44 dB(A)	59.20 dB(A)	68.50 dB(A)	61.40 dB(A)
2. Near Transformer	50.80 dB(A)	49.20 dB(A)	58.90 dB(A)	54.39 dB(A)	62.30 dB(A)	59.20 dB(A)

1. Test values are reported based on the samples received.
2. The Test report shall not be reproduced, without the written approval of laboratory


Authorised Signatory
Nupur Chatterjee
B. Sc. M. Sc. (Env. Sc.)
Dy Technical Manager



Eco Care



NABL ACCREDITED
Certificate No. TC-5109

Phone : (0341) 2252011
Fax : (0341) 2252011

Specialised House on Environmental Monitoring, Analysis, Assessment & Management
ISO 9001 : 2015 Certified, OHSAS 18001:2007 Certified

E-mail : ecocareasansol@rediffmail.com
Manoj Talkies Basement, Kumarpur
ASANSOL-713304 (W.B.)

Format No. : EC/TRT/42/FM/07

TEST REPORT

Report Release Date	: 09.06.2018	Sample Ref. No.(ARF)	: EC/ARF/29/180533
Test Report No	: EC/TR/42/05084	Source of Sample	: M.S Ingot Unit
Type of Sample	: Noise	Sampling Date	: 31.05.18 to 01.06.18
Sample Collected by	: Mr. Binod Singh & Team	Period of Analysis	: ----
Sample Details	: Ambient Noise	Sample Condition	: ----
Name & Address	: Jai Prabhuji Iron & Steel (P) Ltd Kandra Industrial Area, Kandra Dist - Dhanbad - 828109 Jharkhand	Remarks	: ----
		Sample Drawn By	: ECO CARE
		Sampling Plan & Procedure	: EC/SOP/03/01
		Deviation if any	: None

METEOROLOGICAL INFORMATION

1	Average Temperature (°C)	31.7
2	Average Relative Humidity (%)	67.0
3	Barometric Pressure (mm of Hg)	752
4	Weather Condition	Clear Day

AMBIENT NOISE QUALITY REPORT

Sampling Location	NOISE LEVEL					
	Minimum		Leq - Mean		Maximum	
	Day Shift	Night Shift	Day Shift	Night Shift	Day Shift	Night Shift
3. Near Store	47.00 dB(A)	42.00 dB(A)	59.36 dB(A)	55.13 dB(A)	67.50 dB(A)	59.60 dB(A)
4. Near Temple	43.00 dB(A)	41.30 dB(A)	62.26 dB(A)	53.40 dB(A)	66.90 dB(A)	57.60 dB(A)

1. Test values are reported based on the samples received.
2. The Test report shall not be reproduced, without the written approval of laboratory

Authorised Signatory
Nupur Chatterjee
B. Sc. M. Sc. (Env. Sc.)
Dy Technical Manager



सबका मातृक एक

OM SAI HOSPITAL & RESEARCH CENTRE

BICH BAZAR, GOVINDPUR, DHANBAD (JHARKHAND)

Ph. : 06540-262402, Mob. : 9470995789, 9709208001

Website : www.omsaihospital.org, Email : osh@omsaihospital.org



EMPLOYEE HELTH REPORT OF JAI PRABHUJI IRON & STEEL (P) LTD.

Date : 05.01.2017

SL.NO	NAME OF EMPLOYEE	X-RAY REPORT	P.F.T REPORT	REMARK
1.	Ajay Kr. Sinha	NAD	72%	
2.	Asad Ansari	-	-	Absent
3.	Asifa Ansari	NAD	76%	
4.	Aslam Ansari	NAD	75%	
5.	Basant Kr. Lala	NAD	75%	
6.	Ashok Kr. Singh	NAD	72%	
7.	Firoj Ansari	NAD	73%	
8.	Ibrar Alam Ansari	-	-	Absent
9.	Khursid Ansari	NAD	74%	
10.	Ratish Jha	NAD	76%	
11.	Samsher Ansari	NAD	78%	
12.	Singhashan Singh	NAD	71%	
13.	Shubhash Chandra	NAD	75%	
14.	Vivekanand	NAD	75%	
15.	Md. Rezwan Aftab	NAD	72%	
16.	Ramesh Kumar	-	-	Absent
17.	Jainul Hak	NAD	76%	
18.	Md. Shid Ansari	NAD	75%	
19.	Md. Shabul Ansari	NAD	72%	
20.	Md. Jasin Ansari	NAD	76%	
21.	Meghu Mahto	-	-	Absent
22.	Siddik Ansari	NAD	72%	
23.	Shohel Ansari	NAD	74%	
24.	Chandan Singh	NAD	79%	
25.	Vikash Kumar	NAD	78%	
26.	Naresh Yadav	-	-	Absent
27.	Raj. Kr. Panday	NAD	74%	
28.	Sunil Kr. Mondal	NAD	75%	
29.	Rupesh Tiwari	NAD	79%	
30.	Chunchun Singh	NAD	76%	
31.	Pankaj Kr Sinha	NAD	72%	
32.	Nand Kishor Lr. Yadav	NAD	75%	

For Jai Prabhuj Iron & Steel Pvt. Ltd.

Director

R.K. Choudhary

नोट : 24 घंटे सेवा उपलब्ध 24 Hours Service Available



- This is only Professional opinion and not a diagnosis
- It should be clinically correlated be cross-checked
- Report not valid for medico legal purpose

Vikash Raman
5/1/2017
Dr. Vikash Raman
Director Medical
Hospital &



सबका मालिक एक

OM SAI HOSPITAL & RESEARCH CENTRE

BICH BAZAR, GOVINDPUR, DHANBAD (JHARKHAND)

Ph. : 06540-262402, Mob. : 9470995789, 9709208001

Website : www.omsaihospital.org, Email : osh@omsaihospital.org



EMPLOYEE HELTH REPORT OF JAI PRABHUJI IRON & STEEL (P) LTD.

Date : 05.01.2018

SL.NO	NAME OF EMPLOYEE	X-RAY REPORT	P.F.T REPORT	REMARK
1.	Ajay Kr. Sinha	NAD	72%	
2.	Asad Ansari	NAD	75%	
3.	Asifa Ansari	NAD	76%	
4.	Aslam Ansari			Absent
5.	Basant Kr. Lala	NAD	75%	
6.	Ashok Kr. Singh	NAD	72%	
7.	Piroj Ansari	NAD	73%	
8.	Ibrar Alam Ansari	NAD	75%	
9.	Khursid Ansari	NAD	74%	
10.	Ratish Jha	NAD	76%	
11.	Samsher Ansari			Absent
12.	Singhashan Singh	NAD	71%	
13.	Shubhash Chandra	NAD	75%	
14.	Vivekanand	NAD	75%	
15.	Md. Rezwan Aftab	NAD	72%	
16.	Ramesh Kumar	NAD	73%	
17.	Jainul Hak	NAD	76%	
18.	Md. Shid Ansari	NAD	75%	
19.	Md. Shabul Ansari	NAD	72%	
20.	Md. Jasin Ansari	NAD	76%	
21.	Meghu Mahto	NAD	73%	
22.	Siddik Ansari	NAD	72%	
23.	Shohel Ansari			Absent
24.	Chandan Singh	NAD	79%	
25.	Vikash Kumar	NAD	78%	
26.	Naresh Yadav	NAD	72%	
27.	Raj. Kr. Panday	NAD	74%	
28.	Sunil Kr. Mondal	NAD	75%	
29.	Rupesh Tiwari	NAD	79%	
30.	Chunchun Singh	NAD	76%	
31.	Pankaj Kr Sinha	NAD	72%	
32.	Nand Kishor Lr. Yadav			

R.K. Choudhary

Director

नोट : 24 घंटे सेवा उपलब्ध 24 Hours Service Available



- This is only Professional opinion and not a diagnosis
- It should be clinically co-related be cross-checked
- Report not valid for medico legal purpose

Vikash Ram
Dr. Vikash Ramang
Director Medical
Om Sai Hospital &
Research Centre



JAI PRABHUJI IRON & STEEL (P) LTD.

MANUFACTURERS OF QUALITY M. S. PENCIL INGOT

Factory : C-21- 24, Kandra Industrial Area, Govindpur, Dhanbad - 828109 (Jharkhand)

Mobile : 9431125242, 9431124208 • Email : jai_prabhuji@rediffmail.com

CIN No. : U27104WB2003PTC096615

Annexure - 9

To Whom It May Concern

Regarding EMP, the following amount has been spent as under mentioned heads:-

FES with wet scrubber- Rs. 12,20,000/- (Twelve Lacs Twenty Thousand Only)

Rain Water Harvesting- Rs. 4,90,000/- (Four Lacs Ninety Thousand Only)

Green Belt/Plantation- Rs. 1,30,000/- (One Lac Thirty Thousand Only)

Water sprinkling system- Rs. 2,40,000/- (Two Lacs Fourty Thousand Only)

Till date Rs. 20,80,000/- (Twenty Lacs Eighty Thousand Only) have been spent.

For Jai Prabhuji Iron & Steel Pvt. Ltd.

R.K. Choudhary

Director



JAI PRABHUJI IRON & STEEL (P) LTD.

MANUFACTURERS OF QUALITY M. S. PENCIL INGOT

Factory : C-21- 24, Kandra Industrial Area, Govindpur, Dhanbad - 828109 (Jharkhand)

Mobile : 9431125242, 9431124208 • Email : jai_prabhuji@rediffmail.com

CIN No. : U27104WB2003PTC096615

Ref. No. JPIS/GEN/014/18-19

Dated – 01.06.18

To, *Secretary*
Jila Parisad
Dhanbad, Jharkhand

Sub – Submission of copy of Environmental Clearance.

Dear Sir,

With due respect, it is to inform you that we have been accorded environmental clearance from MOEF, New Delhi vide Letter No . J-11011/180/2010-1A-11(I)' dt. 13/07/2011. The copy of same is enclosed for your kind perusal.

This is for your kind information and needful action.


Thanking You,

Yours Faithfully,

For Jai Prabhuji Iron & Steel Pvt Ltd

R.K. Chaudhary

Director



Regd. Office : 27, Weston Street, 6th Floor, Room No. - 611, Kolkata - 700 012



JAI PRABHUJI IRON & STEEL (P) LTD.

MANUFACTURERS OF QUALITY M. S. PENCIL INGOT

Factory : C-21- 24, Kandra Industrial Area, Govindpur, Dhanbad - 828109 (Jharkhand)

Mobile : 9431125242, 9431124208 • Email : jai_prabhuji@rediffmail.com

CIN No. : U27104WB2003PTC096615

Ref. No. JPIS/GEN/015/18-19

Dated - 04.06.18

To,
Mukhiya Jee
Jiyalgardha Panchayat,
Govindpur, Dhanbad.

Sub - Submission of copy of Environmental Clearance.

Dear Sir,

With due respect, it is to inform you that we have been accorded environmental clearance from MOEF, New Delhi vide Letter No . J-11011/180/2010-1A-11(I) dt. 13/07/2011. The copy of same is enclosed for your kind perusal.

This is for your kind information and needful action.

Thanking You,

Yours Faithfully,

For Jai Prabhuji Iron & Steel Pvt Ltd

R.K. Choudhary

Director

Received
9.6.2018
मुखिया जी
जियागर्धा पंचायत
गोविंदपुर धनबाद

Regd. Office : 27, Weston Street, 6th Floor, Room No. - 611, Kolkata - 700 012

PART – E

Solid Wastes

Solid Wastes	Total Quantity (in kg.)	
	During the previous Financial year 16-17	During the current Financial Year 17-18
A) From Process Slag	5476 MT	4460 MT
B) From pollution control facilities 1. Quantity recycled or reutilized with the unit. 2. Solid 3. Disposal		4400 MT

PART – F

Please specify the characterizations (in terms of composite and quantum) of hazardous as well as solid wastes and indicate disposal practice adopted for both these categories of wastes.

Solid Wastes (Slag) is crushed and magnetic separated and used as land filling by outside parties.

PART – G

Impact of the pollution abatement measures taken on conservation of natural resources and on the cost of production.

The work zone environment is maintained and hence efficiency of workers improved.

PART – H

Additional measures / investment proposal for environment protection including abatement of pollution revention of pollution.

Fumè Extraction system with wet scrubber has been installed, other measures as per direction of the Sate Pollution Control Board.

PART – I

Any other particulars for improving the quality of the environment.

Tree plantation has been done and maintained properly. Water spraying is done when & where it is require. Further plantation is being carried out in the plant premises.

For Jai Prabhuji Iron and Steel Pvt. Ltd.

R.K. Choudhary
Director

2. Raw Material Consumption

Name of Raw Material	Name of products	Consumption of Raw Materials Per Unit of Products Output	
		During the previous Financial year 16-17	During the current Financial Year 17-18
M.S Scrap, Sponge Iron, Cast Iron	M.S Ingot	38920 MT (1.163 T/T)	1.162 T/T

Industry may use codes if disclosing details of raw material would violate contractual obligations otherwise all industries have to name the materials used.

PART – C

Pollution discharged to Environment/unit of output (Parameter as specified in the consent issued)

Pollution	Quality of pollutants Discharged (mass/day)	Concentrations of Pollution in discharges (mass/volume)	Percentage of variation from prescribed stack with reason
a) Water	Industrial effluent discharge is zero due to recycling process.	Not Applicable	Not applicable
b) Air	Within norms	Report Enclosed	Not applicable

PART – D

Hazardous Wastes (As specified under Hazardous wastes / Management and Handling rules, 1989).

Hazardous Wastes	Total Quantity (in kg.)	
	During the previous Financial year 2016-17	During the current Financial Year 2017-18
a) From process	0.01 KI (Used oil)	0.01 KI (Used oil)
b) From pollution control facilities		

"FORM - V"

(See rule 14)

Environmental statement for the financial year ending the 31st March 2018.**PART - A**

- (I) Name and address of the owner/ : Jai Prabhuji Iron & Steel Pvt Ltd
Occupier of the industry operation C 21-24, Kandra Industrial Area,
Or process Govindpur, Dhanbad - 828109 (JKD)
- (II) Industry category primary - (STC Code) : -
Secondary - (STC Code)
- (III) Production capacity : 120 Mt Daily (M.S Ingot)
- (IV) Year of establishment : 23.07.2004
- (V) Date of last environmental : 28.07.2017
Statement submitted

PART - B**Water and Raw Material Consumption**

Water Consumption	22 KLD
1. Process	--
2. Cooling	18 KL/Daily
3. Domestic	04 KL/Daily

Water Consumption	Process water consumption per unit of product output	
	During the previous Financial year 2016-17	During the current Financial Year 2017-18
M.S INGOT	15 KL/Daily (cooling)	0.19 KL/T

For Jai Prabhuji Iron & Steel Pvt. Ltd.

R.K. Choudhary

Director

For Jai Prabhuji Iron & Steel Pvt. Ltd.

तरक्की को चाहिए नया नजरिया

www.livehindustan.com

Page No. 10

॥ श्रीगणेशाय नमः ॥

COMPLIANCE OF ENVIRONMENTAL CLEARANCE

F. No. J-11011/180/2010- IA II (I), dated 13.07.2011

M/s. Jai Prabhuji Iron & Steel (P) Ltd., Kandra Industrial Area, Dhanbad

Sl	CONDITION	COMPLIANCE/ STATUS (status: 1 st October 2017 – 31 st March 2018)
A.	SPECIFIC CONDITIONS:	
i)	As per the commitment submitted, no charcoal shall be used as fuel. Pet coke shall be used as fuel instead of charcoal from unknown sources.	No use of charcoal as a fuel. Only Induction Furnaces powered by electricity installed. Proposal for installation of Ferro Alloys Unit (Submerged Arc Furnace) has been dropped thus no use of coke or charcoal envisaged in future also.
ii)	Continuous monitoring facilities for all the stacks and sufficient air pollution control equipments viz. fume extraction system with bag filters, ID fan and stack of adequate height to submerged arc furnace shall be provided to control emissions below 50 mg/Nm ³ .	Condition applicable for submerged Arc Furnace (SAF), which is not installed and will not be installed in future also. Only Induction Furnace unit in which Wet Scrubber provided. Unit does not fall under the 17 categories of highly Polluting Industry, thus OCEMS not envisaged. Emissions are being maintained below 50 mg/NM ³ . Copy of latest monitoring reports enclosed as Annexure – 1
iii)	The National Ambient Air Quality Standards issued by the Ministry vide G.S.R. No. 826(E) dated 16th November, 2009 shall be followed.	Standard as notified is being followed. Monitoring of all parameters as per NAAQs has now been done and reports attached as Annexure – 2.
iv)	Secondary fugitive emissions from all the sources shall be controlled within the latest permissible limits issued by the Ministry and regularly monitored. Guidelines/Code of Practice issued by the CPCB shall be followed.	Secondary fugitive emissions being controlled with help of fume extractor covered shed, water sprinkling etc. Standard as notified is being followed
v)	Regular monitoring of influent and effluent surface, subsurface and ground water shall be ensured and treated wastewater shall meet the norms prescribed by the State Pollution Control Board or described under the E(P) Act which are more stringent. Leachate study for the effluent generated and analysis should also be regularly carried out and report submitted to the Ministry's Regional Office at Bhubaneswar, SPCB and CPCB.	No effluent discharged outside plant premises. All the leakages have been controlled. Water is used only for cooling purpose. Monitoring report for same attached as Annexure - 3.
vi)	Make up water requirement shall not exceed 51m ³ /day. 'Zero' effluent discharge shall be strictly followed and no wastewater should be discharged outside the premises.	Make up water requirement is below 51 m ³ /day. Zero discharge maintained only domestic effluent routed to septic tank –soak pit within premises.

For Jai Prabhuji Iron & Steel Pvt. Ltd.

R.K. Choudhary

Director

ii	No further expansion or modification in the unit shall be carried out without prior approval of this Ministry of Environment and Forests.	No expansion or modification in the unit w.r.t production capacity. Change of product from Ingot to Billets is applied to MoEF & CC, New Delhi.
iii	The gaseous emissions from various process units shall conform to the load/mass based standards notified by this Ministry on 19th May, 1993 and standards prescribed from time to time. The SPCB may specify more stringent standards for the relevant parameters keeping in view the nature of the industry and its size and location.	It is being complied.
iv	At least four ambient air quality monitoring stations should be established in the downward direction as well as where maximum ground level concentration of PM10, SO2 and NOx are anticipated in consultation with the SPCB. Data on ambient air quality and stack emission shall be regularly submitted to this Ministry including its Regional Office at Bhubaneswar and the SPCB/CPCB once in six months.	Latest AAQR & SMR is enclosed as Annexure - 1 and 2.
v	Industrial wastewater shall be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19th May, 1993 and 31st December, 1993 or as amended from time to time. The treated wastewater shall be utilized for plantation purpose.	Cooling water is being kept in closed circuit while domestic effluent is being treated at septic tank followed soak pit. No industrial wastewater is discharged. Repair of Siltation Pond has been completed. Connecting the drain is in progress.
vi	The overall noise levels in and around the cement grinding unit area shall be kept well within the standards (85 dBA) by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under EPA Rules, 1989 viz. 75 dBA (daytime) and 70 dBA (nighttime)	There will be no cement grinding unit. DG set with acoustic enclosure has been installed. All noise levels below the permissible limits. NABL accredited Laboratory has been engaged for further monitoring work. Report of same is enclosed as Annexure - 7
vii	Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.	Regular health check up of the workers is being done on fixed routine basis and records are being maintained. Copy of same enclosed as Annexure - 8
viii	The company shall develop rain water harvesting structures to harvest the rain water for utilization in the lean season besides recharging the ground water table.	Rain water harvesting scheme has been implemented. The depth of central bore of RWH pit is being increased to 80 mtr as per approved drawing of Ground Water Directorate, GOJ. Settling pit water is being used for plant use purpose to maximum extent possible.

For Jai Prabhuj Iron & Steel Pvt. Ltd.

R.K. Choudhary

Director

ix	The project proponent shall also comply with all the environmental protection measures and safeguards recommended in the EIA/EMP report. Further, the company must undertake socio-economic development activities in the surrounding villages like community development programmes, educational programmes, drinking water supply and health care etc.	We have complied with all the environmental protection measures and safeguards recommended in the generated. EIA/EMP report. We are taking care of socio-economic activities and details submitted as Annexure - 5
x	Requisite funds shall be earmarked towards capital cost and recurring cost/annum for environment pollution control measures to implement the conditions stipulated by the Ministry of Environment and Forests as well as the State Government. An implementation schedule for implementing all the conditions stipulated herein shall be submitted to the Regional Office of the Ministry of Bhubaneswar. The funds so provided shall not be diverted for any other purpose.	We have earmarked fund for environmental issue and have implemented. Details of same enclosed as Annexure - 9. The cost of Environment Control is on lower side as unit of Ferro Alloys (SAF) not installed. Pollution Control Equipments as required for SAF also not installed. Only less polluting unit Induction Furnace installed along with requisite pollution control measures.
xi	A copy of clearance letter shall be sent by the proponent to concerned Panchayat, Zilla Parishad/Municipal Corporation, Urban Local Body and the local NGO, if any, from whom Suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the web site of the company by the proponent.	Copies of receipt of EC to Panchayat and Zila Parishad is enclosed herewith as Annexure - 10
xii	The project proponent shall upload the status of compliance of the stipulated environment clearance, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of the MOEF at Bhubaneswar. The respective Zonal Office of CPCB and the SPCB. The critical pollutant levels namely; PM10, SO2, NOx (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.	Earlier Website was not required by the Company. The company now has prepared a website (www.jpispl.com) which is active. Refining of the website is in process. Compliance status of EC and results of monitoring will be uploaded within 2 months
xiii	The project proponent shall also submit six monthly reports on the status of the compliance of the stipulated environmental conditions including results of monitored data (both in hard copies as well as by e-mail) to the Regional Office of MOEF, the respective Zonal Office of	It is being complied. Reports sent both in hardcopy and email to Regional Office of Ministry at Ranchi.

For Jai Prabhuj Iron & Steel Pvt. Ltd.

R.K. Choudhary

Director

	CPCB and the SPCB. The Regional Office of this Ministry at Bhubaneswar/CPCB/SPCB shall monitor the stipulated conditions.	
xiv	The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the Project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental conditions and shall also be sent to the respective Regional Office of the MOEF at Bhubaneswar by e-mail.	We are submitting environmental statement every year. Copy of the Environmental statement for the year ending 31 st March 2018 is enclosed along with as Annexure - 11
xv	The Project Proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB and may also be seen at the Website of the Ministry of Environment and Forests at http://envfor.nic.in . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspaper that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same should be forwarded to the Regional office at Bhubaneswar.	The paper cutting of the two local news paper in which information regarding grant of EC was published is attached as Annexure – 12. The time line for Newspaper publication was overlooked by mistake. In future it will be taken care of in time.
xvi	Project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of commencing the land development work.	Date of Financial closure is 14.12.2007 With Indian Overseas Bank. CTE from JSPCB obtained vide PC/NOC/DHN/01/2010/B-2474 dated 12.09.2011. land development work started after 15.09.2011. Commencement of Production of Induction Furnace was after obtaining CTO from of JSPCB

For Jai Prabhuji Iron & Steel Pvt. Ltd.

R. K. Choudhary

Director